

# tarm 11

## Demo unit

The tarm 11 is a compact and robust powerhouse. It combines high performance with precision.

- 11'000 mW guaranteed power
- Complex graphics capable - 45kpps @ 8° scanners
- Extremely sharp intense beams - low divergence of <0.8 mrad
- Integrated ShowNET intelligent laser mainboard
- Integrated network switch for linking the control signal
- Control screen for convenient mode selection
- Rugged tour-grade compact housing
- incl. waterproof flightcase



ShowNET mainboard as standard:

- Various control options:

## TECHNICAL DETAILS

<b>Guaranteed Power at aperture</b>	11'000 mW
<b>Power Red</b>	3'330 mW / 637 nm
<b>Power Green</b>	4'800 mW / 525 nm
<b>Power Blue</b>	5'010 mW / 455 nm
<b>Beam Specifications</b>	ca. 5.0 mm / <0.8 mrad
<b>Scanner</b>	45kpps @ 8°
<b>Max. Scan Angle</b>	50°
<b>Operation Modes</b>	LAN, ILDA, DMX, Art-Net, integrierte SD-Karte, Automatikmodus, Master-Slave
<b>Laser Class</b>	4

<b>Laser Source</b>	RSL modules
<b>Basic Patterns</b>	more than 120 (Layers, tunnels, grids, waves, etc.)
<b>Accessories</b>	Incl. waterproof flightcase, rain cover, power cable, manual, key, interlock connector, full version Showeditor software license included
<b>Power Supply</b>	85 V - 250 V / AC
<b>Power Consumption</b>	350 W
<b>Dimensions</b>	441/260/153 mm
<b>Weight</b>	17.5 kg
<b>EAN / MPN</b>	R93785



\*Due to Advanced Optical Correction technology used in our laser systems the optical power of each colour within installed laser module(s) may slightly differ from the specification of respective laser module(s). Divergence FWHM average depending on model.